



FIREFIGHTING HELMETS

Honeywell

Ben 2 and Lite Force Helmets

When Durability Meets Protection

Strength

Proprietary shell material provides superior heat protection with 39% more resistance to impact penetration than conventional fiberglass material.

Durability

Precision-engineered with rugged components that stand up to the test of time.

Comfort

Easy-to-adjust padded headband and suspension components ensure a customized fit and low ride.

Innovation

Unique design and materials provide superior protection and functionality.



BEN 2 HELMET

Ben 2 Low Rider PLUS Model

Delivers a low center of gravity, full comfort crown liner, and exclusive 6-position, 38.1 mm (1.5 in) available suspension adjustment for an easy custom fit.



- 1 Durable Eagle Front Holder**
Moves forward and backward to fit any brand/style of front.
- 2 High-Performance FYR-Glass Shells**
Strongest shell on the market. Outstanding heat resistance. Proprietary technology.
- 3 Bulldog™ Edge Beading**
Rugged and durable.
- 4 Large Hang-Up Loop**
Large enough to easily fit over a peg.
- 5 Securely Attached Ear Covers**
Tough and durable Nomex® ear covers are easily removed for cleaning.
- 6 Reversible 2-Point Quick-Attach Chinstraps**
Tough and durable Nomex chinstraps are easy to switch to right- or left-hand cinch.
- 7 Comfortable and Easy-to-Adjust Suspension**
Cradles your head in comfort.
- 8 Protected Suspension Attachments**
Internally located and not affected by external heat or flame.
- 9 Built-in Easy Attach Goggle System**
Offers easy attachment for full or 2-strap eyelet goggle.
- 10 Certified EZ-Flips™**
NFPA 1971 and ANSI Z87.1+ standards (optional).
- 11 Anti-Catch Safety Bracket for Leather Fronts**
Exclusive on our traditional helmets.

EZ-FLIPS

Flip-Down Face Protection

The original – and still unmatched. Morning Pride® made the first NFPA 1971 certified flip-down eye/face protection. Our updates ensure we continue to provide the best performance and the largest available unobstructed visual field.



FYR-Glass

Strongest Shell on the Market

Available in:

- Ben 2 – Structural and Proximity
- Lite Force – Structural and Proximity

FYR-Glass is a proprietary custom-blended material found only in Morning Pride helmets. Our testing shows that FYR-Glass helmets are 39% more resistant to impact penetration than conventional fiberglass helmets with or without impact caps. FYR-Glass enables a design approach not available with other materials, resulting in a lightweight, better-fitting helmet. FYR-Glass also exhibits world-class heat resistance performance. After exposure to radiant heat under NFPA 1971 parameters, FYR-Glass shows no blistering or finish damage.

The first helmet with flip-down face protection, certified to NFPA 1971, and still unmatched.



Low Riding, PLUS Fit, Great Protection Superior Suspension System

Morning Pride provides a one-piece headband and ratchet assembly that can be adjusted without disassembly. Our helmets offer the greatest range of hat size fit – from under size 6 to over size 9 – for any structural helmet on the market. Our 6-position suspension provides 38.1 mm (1.5 in) of adjustment for a quick and easy custom fit. Our unique padded suspension system and wider interior provide superior comfort and fit. The FYR-Glass shell is inherently stronger, eliminating the need for impact caps. Morning Pride models deliver a lower center of gravity, resulting in significantly less neck strain.



STRUCTURAL TRADITIONAL HELMET. NFPA 1971 CERTIFIED.

How to Build Your Helmet

Step 1: Specify base model

Base model includes FYR-Glass shell, low-riding headband/crown cover and ratchet pad, 8-point suspension with 6 depth adjustments, aramid liner cap, postman slide chinstrap, 101.6 mm x 3.81 mm (4 in x 0.15 in) new-generation faceshield, 8 lime Reflexite® trapezoids, golden-plated eagle front holder, and hang-up loop.

Step 2: Select required components

- Choose one ear cover
- Choose one chinstrap
- Choose one eagle front holder
- Choose eye/face protection
- Choose one retroreflective trim pattern/package

Step 3: Select options

- Choose accessories
- Choose front
- Choose auxiliary helmet products
- Choose shell color: B – black, W – white, R – red, Y – yellow, O – orange, U – blue, G – green



Standard Ben 2 LR PLUS HT-BF2-HDO with yellow Nomex FR cotton ear cover

EAR COVERS

(required component)
Standard HDO yellow Nomex FR cotton. Optional black PBI® FR cotton (FDNY spec optional material choice). Other outer shell colors available.



Standard
BPR yellow Nomex moisture barrier FR cotton ear cover

CHINSTRAPS



Standard
Nomex postman slide and quick-release chinstrap



Optional
Nomex 4-point with quick-release chinstrap

EAGLE FRONT HOLDERS



Standard
Golden alloy plating traditional eagle front holder

EYE/FACE PROTECTION



Standard
4" x 0.15" new-generation faceshield



Optional
Paulson or ESS NFA 1971 goggles



Optional
EZ-Flips meets standards of NFPA 1971 and ANSI Z87.1+

RETROREFLECTIVE TRIM



Standard
8 trapezoids Reflexite lime



Optional
8 trapezoids 3M Scotchlite™ lime or orange



Optional
8 trapezoids 3M Scotchlite 2-tone lime or orange



Optional
8 trapezoids Foxfire™ illuminating

ACCESSORIES



Goggle garage



One-piece brow comfort cap and ratchet cover



One-piece leather brow comfort cap and ratchet cover



Aluminized PBI cover – recommended for live fire training, not for proximity firefighting



Optional winter liner insert

FRONTS



FDNY Assigned Officer



FDNY Firefighter



FDNY Covering Officer



FDNY Field Comm Unit



FDNY Heraldic Reflective Insignias



Houston



Memphis



Fort Worth



Sacramento



LA County Passport System



LA County

CUSTOM FRONTS

We can design a leather front to meet your specific needs.



Columbus or Chicago



Houston Passport System



Truck Lettered



Acting Batt Chief (recessed or raised)

FRONT ACCESSORIES



Metal circular rank insignias



Basic



Gold leaf



Multicolor Integral



Recognition Award

LITE FORCE HELMET

Lite Force Low Rider PLUS

Delivers a lower center of gravity, and our 6-position suspension provides a full 38.1 mm (1.5 in) of adjustment for a quick and easy custom fit.



- ① **2 High-Performance FYR-Glass Shells**
Strongest shell on the market. Outstanding heat resistance. Proprietary technology.
- ② **Reflective Trim 5 – 25.4 mm x 101.6 mm (1 in x 4 in) Reflexite Lime Bars**
- ③ **Bulldog Edge Beading**
Rugged and durable.
- ④ **Large Hang-Up Loop**
Large enough to easily fit over a peg.
- ⑤ **Securely Attached Ear Covers**
Tough and durable Nomex ear covers are easily removed for cleaning, available in yellow Nomex 2-layer FR cotton.
- ⑥ **Reversible 2-Point Quick-Attach Postman Slide Chinstrap**
Tough and durable Nomex chinstraps easily switched to right- or left-hand cinch.
- ⑦ **Comfortable and Easy-to-Replace Suspension**
Cradles your head in comfort.
- ⑧ **Protected Suspension Attachments**
Internally located and not affected by external heat or flame.
- ⑨ **Built-in Goggle Retention System**
Goggle-ready and equipped with our unique integrated goggle strap attachment system. No extra retaining parts are required.
- ⑩ **Standard 101.6 mm x 3.81 mm (4 in x 0.15 in) New-Generation Faceshield**

Strongest shell. Modern styling.

FYR-Glass: Strongest Shell on the Market

FYR-Glass is a proprietary custom-blended material found only in Morning Pride helmets. Our testing shows that FYR-Glass helmets are 39% more resistant to impact penetration than conventional fiberglass helmets with or without impact caps.

FYR-Glass enables a design approach not available with other materials, resulting in a lightweight, better-fitting helmet. FYR-Glass also exhibits world-class heat resistance performance. After exposure to radiant heat under NFPA 1971 parameters, FYR-Glass shows no blistering or finish damage.



Superior, Low-Riding Suspension System

Our unique padded suspension system and wider interior provide superior comfort and fit. The FYR-Glass shell is inherently stronger, eliminating the need for impact caps. Low Rider models deliver an even lower center of gravity, resulting in significantly less neck strain.

How to Build Your Helmet

Step 1: Specify base model

Base model includes FYR-Glass shell, low-riding headband/crown cover and ratchet pad, 6-point suspension with 6 depth adjustments, aramid liner cap, postman slide chinstrap, 101.6 mm x 3.81 mm (4 in x 0.15 in) new-generation faceshield, 5 lime Reflexite bars, and hang-up loop.

Step 2: Select required components

- Choose one chinstrap
- Choose one ear cover
- Choose eye/face protection
- Choose one retroreflective trim pattern/package

Step 3: Select options

- Choose accessories
- Choose front
- Choose auxiliary helmet products
- Choose shell color: B – black, W – white, R – red, Y – yellow, O – orange, U – blue, G – green



Standard Lite Force LR PLUS HT-LF2-HDO with yellow Nomex FR cotton ear cover

STRUCTURAL MODERN HELMET. NFPA 1971 CERTIFIED.

EAR COVERS

Standard HDO yellow
Nomex FR cotton.

Optional black PBI FR
cotton (FDNY spec
optional material choice).

Other outer shell
colors available.



Standard
BPR yellow Nomex
moisture barrier
FR cotton ear cover

CHINSTRAPS




Standard
Nomex postman slide and
quick-release chinstrap



Optional
Nomex 4-point with
quick-release chinstrap

EYE/FACE PROTECTION



Standard
4" x 0.15" new-generation
faceshield



Optional
EZ-Flips meets
standards of both NFPA
1971 and ANSI Z87.1



Optional
Paulson or ESS NFPA
1971 goggles

RETROREFLECTIVE TRIM



Standard
5 - 1" x 4" bars



Optional
10 trapezoids Reflexite
lime or 3M Scotchlite
solid lime or orange,
2-tone lime or orange



Optional
3 sets of parallelograms
Reflexite lime or
3M Scotchlite lime
or orange, 2-tone
lime or orange



Optional
10 trapezoids Foxfire
illuminating

OPTIONAL ACCESSORIES AND FRONTS



Goggle garage



Aluminized PBI cover
- recommended for
live fire training, not for
proximity firefighting



One-piece brow
comfort cap



Optional one-piece
leather brow comfort
cap and ratchet cover



Leather passport
accountability
individual fronts



Multi-color
integral front



Reflexite and
3M Scotchlite
retroreflective fronts



Standard Lite Force
Low Rider PLUS
HT-LF2-PROX



Standard Ben 2
Low Rider PLUS
HT-BF2-PROX

How to Build Your Helmet

Step 1: Specify base model

Base model includes FYR-Glass shell, one-piece padded brow comfort cap and ratchet, 6-point suspension with 6 depth adjustments, postman slide chinstrap, 152.4 mm x 3.81 mm (6 in x 0.15 in) new-generation gold-coated faceshield, hang-up loop, and aluminized helmet cover and shroud.

Step 2: Select required components

- Choose one chinstrap
- Choose one shroud
- Choose one headband ratchet cover

REQUIRED COMPONENTS



Standard
Nomex postman
slide and quick-
release chinstrap



Standard shroud



Optional J-Fire
shroud



Optional
faceshield cover



One-piece brow
comfort cap and
ratchet cover



Optional one-piece
leather brow comfort
cap and ratchet cover

Models **HT-BF2-PROX** and **HT-LF2 PROX** available. Both models have **STEDAIR® 3000** moisture barrier.



EV1 Helmets

Visionary

**Another milestone in our history
of championing innovation
developed with you in mind!**

The progressive interface and features of EV1 helmets offer superior ease of use with a sturdy, sleek, lightweight design that customizes fit for unparalleled comfort and superior functionality. All EV1 helmets feature a low-profile design with patented internal springloaded EZ Touch face and eye protection. Standard features include leather headband and ratchet assembly.

◀ DUPONT ▶

Kevlar | **Nomex**

EV1 HELMET



- ① **Golden Alloy-Plated Traditional Eagle Front Holder**
Standard.
- ② **UV-Resistant Shell**
Available in black, white, blue, yellow, red, orange, green.
- ③ **Reflective Trim – 8 Trapezoids Reflexite Lime**
Standard.
- ④ **Polyurethane Impact Liner (underside)**
- ⑤ **Large Hang-Up Loop**
Large enough to easily fit over a peg.
- ⑥ **Securely Attached Ear Covers**
Easily removed for cleaning.
- ⑦ **Leather Headband and Ratchet Cover with Mesh Crown**
Standard on all models.
- ⑧ **Anti-Catch Safety Bracket for Leather Fronts**
Exclusive on our traditional helmets.
- ⑨ **Lightweight, Low-Profile Design**
Weighs in under 1.4 kg (50 oz). Provides superior comfort and optimal balance.
- ⑩ **6-Point Suspension with Easy-to-Adjust Hook-and-Loop Headband System**
- ⑪ **Bulldog Edge Beading**
Rugged and durable.
- ⑫ **Adjustable Integrated EZ Touch Face and Eye Protection with Safety Lock**
Proprietary EZ Touch feature allows for one-touch deployment of your face protection.
- ⑬ **EZ Clip, Reversible Chinstrap with Quick-Release Buckle and Postman Slide**
For easy adjustment and proper fit.

Lightweight,
low profile,
unprecedented
comfort.

Adjustable, Integrated EZ Touch Lens

Proprietary EZ Touch feature allows for one-touch deployment of your face and eye protection. No fuss. No hassle. The EZ Touch lens stows internally and is released at the touch of a finger. It truly is the only solution for quick one-handed deployment.

Featuring a safety lock and a nose guard, the EZ Touch lens is easily adjusted to fit your face perfectly, thanks to its spring-loaded innovative design. In the event of impact, the face shield will move freely, avoiding potential nose fractures caused by non-spring loaded face shields available on the market.

Low-profile design combined with lighter-weight materials provides superior comfort and optimal fit. You will be amazed by how comfortable and well-balanced the EV1 feels once customized for perfect fit.

STRUCTURAL TRADITIONAL HELMET. NFPA 1971 CERTIFIED.



EV1 Traditional Model

HT-TRA-EV1

- Leather headband and ratchet covers
- EZ Touch internal face and eye protection with safety lock
- Black Nomex FR cotton ear covers
- EZ Clip replaceable and reversible chinstrap with quick-release and postman slide
- Composite fiberglass shell
- Golden alloy-plated eagle front holder
- Anti-catch safety bracket for leather fronts
- 8 Reflexite lime trapezoids
- Large hang-up loop
- Bulldog edge beading
- Available shell colors black, white, yellow, and red. Special order: orange, blue, and green.

EYE/FACE PROTECTION



4" x 0.15" new-generation faceshield



Paulson or ESS NFPA 1971 goggles



EZ-Flips meets standards of NFPA 1971 and ANSI Z87.1+

TRAINING COVER



Aluminized PBI cover – recommended for live fire training, not for proximity firefighting

RETROREFLECTIVE TRIM



8 trapezoids 3M Scotchlite lime or orange



8 trapezoids 3M Scotchlite 2-tone lime or orange



Optional 8 trapezoids Foxfire illuminating

FRONTS



Fort Worth



Columbus or Chicago



LA County



FDNY Assigned Officer



FDNY Covering Officer



Houston



Sacramento



Truck Lettered



Basic



Memphis



Houston Passport System



Gold Leaf



FDNY heraldic reflective insignias



Acting Batt Chief (recessed or raised)



Recognition Award



Multicolor Integral



LA County Passport System



FDNY Firefighter

Custom Fronts

We can design a leather front to meet your specific needs. All inserts sold separately.



EV1 Modern Model

HT-MOD-EV1

- Leather headband and ratchet covers
- EZ Touch internal face and eye protection with safety lock
- Black Nomex FR cotton ear covers
- EZ Clip replaceable and reversible chinstrap with quick-release and postman slide
- Composite fiberglass shell
- 5 – 25.4 mm x 101.6 mm (1 in x 4 in) Reflexite lime bars
- Large hang-up loop
- Bulldog edge beading
- Available shell colors: black, white, yellow, and red. Special order: orange, green, and blue.

EYE/FACE PROTECTION



4" or 6" new-generation faceshields



Paulson or ESS NFPA 1971 goggles



EZ-Flips (NFPA 1971 and ANSI Z87.1+)

TRAINING COVER



Aluminized PBI cover – recommended only for live fire training, not for proximity firefighting

RETROREFLECTIVE TRIM



10 trapezoids Reflexite lime or 3M Scotchlite solid lime or orange, 2-tone lime or orange



6 parallelograms Reflexite lime or 3M Scotchlite lime or orange, 2-tone lime or orange



Optional
10 trapezoids
Foxfire illuminating

FRONTS



Leather passport fronts



Multi-color integral front



Reflexite and 3M Scotchlite retroreflective fronts

STANDARD CONFIGURATIONS QUICK COMPARISON CHART

HELMET DESCRIPTION	BEN 2 LOW RIDER PLUS TRADITIONAL	LITE FORCELOW RIDER PLUSMODERN	EV1 TRADITIONAL	EV1 MODERN	PROXIMITY – TRADITIONAL LOW RIDER PLUS	PROXIMITY – MODERN LOW RIDER PLUS
MODEL NUMBER	HT-BF2-HDO	HT-LF2-HDO	HT-TRA-EV1	HT-MOD-EV1	HT-BF2-PROX	HT-LF2-PROX
SHELL MATERIAL	FYR-Glass	FYR-Glass	Composite Fiberglass	Composite Fiberglass	FYR-Glass	FYR-Glass
SHELL COLORS	Black, White, Red, Yellow, Blue, Orange, Green	Black, White, Red, Yellow, Blue, Orange, Green	Black, White, Red, Yellow Special Order: Blue, Orange, Green	Black, White, Red, Yellow Special Order: Blue, Orange, Green	Black, White, Red, Yellow, Blue, Orange, Green	Black, White, Red, Yellow, Blue, Orange, Green
HEAD SIZE RANGE	6 – 9½	6 – 9½	6 – 8½	6 – 8½	6 – 9½	6 – 9½
EAR COVERS	Yellow Nomex FR Cotton	Yellow Nomex FR Cotton	Black Nomex FR Cotton	Black Nomex FR Cotton	Aluminized PBI STEDAIR 3000 Moisture Barrier, Thermal Liner	Aluminized PBI STEDAIR 3000 Moisture Barrier, Thermal Liner
CHINSTRAPS	Nomex Quick-Release Postman Slide	Nomex Quick-Release Postman Slide	EZ Clip Replaceable and Reversible Chinstrap	EZ Clip Replaceable and Reversible Chinstrap	Nomex Quick-Release Postman Slide	Nomex Quick-Release Postman Slide
EYE/FACE PROTECTION	4" x 0.15" XTRA Tough Faceshield	4" x 0.15" XTRA Tough Faceshield	EZ Touch Internal Face and Eye Protection	EZ Touch Internal Face and Eye Protection	Gold-Coated Faceshield 6" x 0.15"	Gold-Coated Faceshield 6" x 0.15"
TRIM	Reflexite 8 – Trapezoids Lime	Reflexite 5 – 1" x 4" Lime	Reflexite 8 – Trapezoids Lime	Reflexite 5 – 1" x 4" Lime	N/A	N/A
LOW RIDER	Yes	Yes	No	No	Yes	Yes



For more information

www.honeywellfirstresponder.com

Honeywell First Responder Products

#1 Innovation Court
Dayton, Ohio 45414
800-688-6148

DuPont and Nomex are trademarks and registered trademarks of DuPont or its affiliates.

HFR Helmets Brochure | Rev A | 06/20
© 2020 Honeywell International Inc.

Honeywell