

TURNOUT SUIT FIRE MAX II

*Comfortable turnout suit for high
level of protection*

NEW



- According to EN 469 (highest performance levels)
- Wear-proof reinforcement where it counts
- Modern design

 **rosenbauer**

FIRE MAX II - FIRE M

Turnout suit for maximum protection



The new ROSENBAUER FIRE MAX II turnout suit has been developed to offer maximum protection for the fire fighters while at the same time guaranteeing excellent comfort.

The new FIRE MAX II is certified according to EN 469, and achieved the highest protection standards in all three EN 469:2005 test categories: heat resistance, water repellence, and steam penetration resistance.




Reinforcements to large areas of the jacket and trousers clearly show that the FIRE MAX II is perfectly constructed for heavy duty on fire fighting missions: typical wear and tear areas like the knees and elbows or the trousers seams are reinforced with wear-resistant material.

On top of this, the FIRE MAX II jacket and trousers are tailored for wearing comfort – not to forget ROSENBAUER's modern and unmistakable design!

Construction – a well-thought out concept

The use of premium quality, breathable PU membranes protects the wearer against wind and moisture from the outside. The inner lining is made of aramid fleece with a quilted aramid/viscose top layer for best heat and cold insulation.



Outer fabric: 100% Aramid
Nomex® Delta TA
about 195 g/m²
Colour: dark blue

Moisture protection (Liner):
PU-functional membrane
water-, windproof and breathable

Lining: insulating layer in a 100% Aramid
nonwoven and a Aramid/Viscose quilting
about 270 g/m²

MAX II - FIRE MAX II

Construction of jacket and trousers

FIRE MAX II jacket construction

- Backside length 85 cm (Size M)
- Water- and windproof, breathable through PU membrane
- Arm and jacket seams with moisture blocker made of flame retardant PU coated Aramid, therefore better protection against the penetration or soaking of water (anti-wicking barrier)
- Special sleeve construction with "mobility wedge" for excellent mobility
- Highly heat-resistant, stable zip with cover flap
- Additional reinforcement at the elbows and shoulders made of PU-coated Paraaramid fabric
- Flame protection collar, on the backside to wear up to the helmet bottom, closure with Velcro fastening at the front
- Width of the sleeves can be adjusted individually due to Velcro
- Sleeves with knitted wristlet made of NOMEX®
- Two breast pockets for radio
- Two side pockets with flaps
- Cord for adjusting around waist
- Loops for mounting shoulder patches
- Fleece strip above left radio pocket for name strip (15 x 3 cm)
- Two yellow/silver/yellow reflective strips circulating body and sleeves



Wear-proof reinforcements at elbows and sides



Two breast pockets for radio



Additional reinforcement at the shoulders

FIRE MAX II trousers construction

- Trousers with adjustable, non-detachable braces
- Adjustable elastic straps for fixing the waistband individually
- Quick-fix flies with zipper and Velcro with flap
- Two side pockets with flap
- Trousers hem with flame retardant PU-coated Aramid moisture blocker – stops water before it enters into the inner side of the trousers (anti-wicking barrier)
- Additional reinforcement at the knees, on the side and end of trousers made of PU-coated Paraaramid fabric
- Meta-Paraaramid changeable padding under the knee protection
- Yellow/silver/yellow reflective strips circulating on the trousers legs



Additional reinforcement at the knees, on the side and on the end of the trousers



Order data:

141010	FIRE MAX II Jacket
141020	FIRE MAX II Trousers

Accessories to FIRE MAX II Jacket:

140947	Pocket in covered front closure ("Napoleon pocket")
1405966	Name strips detachable, approx. 15 x 3 cm. Name the colour of the strip and lettering!
140949 140948	Lettering on the back Individual two line high silver-reflective lettering printed directly to the jacket on dark blue Velcro



Accessories to FIRE MAX II Trousers:

140946	Elastic sleeves at the trousers legs
--------	--



ROSENBAUER INTERNATIONAL Aktiengesellschaft
Fire & Safety Equipment
A-4060 Leonding, Paschinger Str. 90, AUSTRIA

Phone: +43 (0)70 6794-0
Fax: +43 (0)70 6794-77
E-Mail: office@rosenbauer.com
<http://www.rosenbauer.com>

Text and illustrations are not binding. The illustrations may show optional extras only available at extra charge. ROSENBAUER retains the right to alter specifications and dimensions given herein without prior notice.