



Article No: UFC10

Unifighter 10C



The Unifighters are professional nozzles for firefighting and industrial use. The Unifighters are available with two differnt capacities: 7C, and 10C. They deliver a constant flow regardless of fogangele.

How to operate

Twist the nozzle head to select spray-pattern -Stepless adjustable from shut-off via protecting screen to fog to jet

Applications

All-round nozzle for smaller fires, bush fires e.t.c. Very efficient and reliable.

Also well suited for heavy industrial use.

Operating pressure

2 - 15 bar

Max operatingpressure: 20 bar

Weight

Short Version: 0.5 kg Long Version: 0.7 kg

Measurements


Short Version : L: 12.5 cm \varnothing : 5.2 cm Long Version: L: 25 cm \varnothing : 5.2 cm

Material

Chromeplated brass, red plastic cover and rubber bumper head. Stainless steel screws and silicone oil lubrication

Connections

Available in short or long version with any thread connection 1/2" to 2" or with any hosetail connection.



Capacities Unifighter 10C

Pressure	Fog 100°		Jet	
Bar	lpm	Distance/m	lpm	Distance/m
3 6 8 10	108 152 177 197	max 7 max 11 max 12 max 13	108 152 177 197	10-14 18-22 21-24 22-26





Article No: UFC07

Unifighter 7C



The Unifighters are professional nozzles for firefighting and industrial use. The Unifighters are available with two differnt capacities: 7C, and 10C. They deliver a constant flow regardless of fogangele.

How to operate

Twist the nozzle head to select spray-pattern -Stepless adjustable from shut-off via protecting screen to fog to jet

Applications

All-round nozzle for smaller fires, bush fires e.t.c. Very efficient and reliable.

Also well suited for heavy industrial use.

Operating pressure

2 - 15 bar

Max operating pressure: 20 bar

Weight

Short Version: 0.5 kg Long Version: 0.7 kg

Measurements


Short Version : L: 12.5 cm \varnothing : 5.2 cm Long Version: L: 25 cm \varnothing : 5.2 cm

Material

Chromeplated brass, red plastic cover and rubber bumper head. Stainless steel screws and silicone oil lubrication

Connections

Available in short or long version with any thread connection 1/2" to 2" or with any hosetail connection.



Capacities Unifighter 7C

Pressure	Fog 100°		Jet	
Bar	lpm	Distance/m	lpm	Distance/m
3	53	max 4	53	11-13
6	76	max 6	76	15-17
8	89	max 7	89	16-19
10	99	max 8	99	17-20

On-line catalogue and more info on: **www.unifire.com**



Unifighter 7C and 10C Pistolgrip

for firefighting and industrial use



The Unifighters are professional nozzles for firefighting and industrial use. The Unifighters are available with two differnt capacities: 7C, and 10C. They deliver a constant flow regardless of fogangele.

How to operate

Twist the nozzle head to select spray-pattern -Stepless adjustable from shut-off via protecting screen to fog to jet

Applications

All-round nozzle for smaller fires, bush fires e.t.c. Very efficient and reliable.
Also well suited for heavy industrial use.

Operating pressure

2 - 15 bar

Max operating pressure: 20 bar

Weight

Pistol grip with 1" male threads: 1,3 Kg

Measurements

Short Version : L: 12.5 cm \emptyset : 5.2 cm Long Version: L: 25 cm \emptyset : 5.2 cm

Material

Chromeplated brass, red plastic cover and rubber bumper head. Stainless steel screws and silicone oil lubrication

Connections

Available with 1" or 2" male threads. Optional swivelling connection.

Capacities Unifighter 10C

Pressure	Fog 100°			Jet	
Bar	lpm	Distance/m	lpm	Distance/m	
3	108	max 7	108	10-14	
6	152	max 11	152	18-22	
8	177	max 12	177	21-24	
10	197	max 13	197	22-26	

Capacities Unifighter 7C

Pressure	F	Fog 100°		Jet	
Bar	lpm	Distance/m	lpm	Distance/m	
3	53	max 4	53	11-13	
6	76	max 6	76	15-17	
8	89	max 7	89	16-19	
10	99	max 8	99	17-20	