





MODEL V-723 SADDLE-LET (Small Mechanical Tee)

The Model 723 Saddle-Let is the ideal outlet fitting for direct connections to sprinkler heads, drop nipples and or gauges. No need for welding, just cut or drill a hole at the desired outlet location. Position the Saddle-Let so that the locating collar fits within the hole and secure with the U-bolt and nuts. The Saddle-Let comes with a standard black finish or as an option can be supplied electro zinc plated or painted orange. The Saddle-Let allows full bore flow and is pressure rated to 300 psi (20 bar).



Nominal Size mm/in	Hole Dia. +1.6, -0/+0.063, -0 mm/in	Dimensions-mm/in			Take-Out T mm/in	Bolt Size in	Bolt Torque N-M/Lb-Ft	Weight Kgs/Lbs
		A	B	C				
32 x 15	30	53.0	89.0	56.0	35.0	3/8ø	20 - 30	0.4
1.25 x 0.5	1.18	2.08	3.50	2.20	1.38	U-Bolt	15 - 22	0.9
32 x 20	30	53.0	89.0	56.0	35.0	3/8ø	20 - 30	0.4
1.25 x 0.75	1.18	2.08	3.50	2.20	1.38	U-Bolt	15 - 22	0.9
32 x 25	30	56.0	89.0	56.0	38.0	3/8ø	20 - 30	0.4
1.25 x 1	1.18	2.20	3.50	2.20	1.50	U-Bolt	15 - 22	0.9
40 x 15	30	55.0	89.0	56.0	35.0	3/8ø	20 - 30	0.4
1.5 x 0.5	1.18	2.16	3.50	2.20	1.38	U-Bolt	15 - 22	0.9
40 x 20	30	55.0	89.0	56.0	35.0	3/8ø	20 - 30	0.4
1.5 x 0.75	1.18	2.16	3.50	2.20	1.38	U-Bolt	15 - 22	0.9
40 x 25	30	58.0	89.0	56.0	38.0	3/8ø	20 - 30	0.4
1.5 x 1	1.18	2.28	3.50	2.20	1.50	U-Bolt	15 - 22	0.9
50 x 15	30	64.0	98.0	56.0	42.0	3/8ø	20 - 30	0.4
2 x 0.5	1.18	2.51	3.85	2.20	1.65	U-Bolt	15 - 22	0.9
50 x 20	30	64.0	98.0	56.0	42.0	3/8ø	20 - 30	0.4
2 x 0.75	1.18	2.51	3.85	2.20	1.65	U-Bolt	15 - 22	0.9
50 x 25	30	67.0	98.0	56.0	45.0	3/8ø	20 - 30	0.4
2 x 1	1.18	2.63	3.85	2.20	1.77	U-Bolt	15 - 22	0.9
65 x 15	30	69.0	111.0	56.0	51.0	3/8ø	20 - 30	0.4
2.5 x 0.5	1.18	2.71	4.37	2.20	2.00	U-Bolt	15 - 22	0.9
65 x 20	30	69.0	111.0	56.0	51.0	3/8ø	20 - 30	0.4
2.5 x 0.75	1.18	2.71	4.37	2.20	2.00	U-Bolt	15 - 22	0.9
65 x 25	30	72.0	111.0	56.0	54.0	3/8ø	20 - 30	0.5
2.5 x 1	1.18	2.83	4.37	2.20	2.13	U-Bolt	15 - 22	1.1

1. Hole diameters listed are suggested hole saw diameters.
 2. *T: Take-out (Center of run to end of pipe to be engaged)