

# PROTECTIVE GLOVES FOR FIRE FIGHTERS

*Approved in accordance with  
EN 659:2003*



 **rosenbauer**

# SAFE GRIP II

Protective gloves SAFE GRIP II  
approved in accordance with EN 659



These new protective gloves for fire fighters offer excellent heat and cold protection, excellent touch sensitivity and optimal fit. Due to the GORE-TEX® X-TRAFIT membrane the gloves are water- and windproof and breathable. As all three layers in the glove are interconnected, there is no danger of material becoming loose, or slipping when putting on or taking off the gloves. Palm side is made of carbon-silicon-coated

NOMEX KEVLAR® doubleface fabric for high abrasion, puncture and cut resistance and anti-slip also on wet and smooth surfaces. Ergonomic cut facilitates excellent touch sensitivity and optimal fit.

### Features of protective gloves SAFE GRIP II:

- Heat and cold protection through NOMEX KEVLAR® fabrics
- All three layers of material are interconnected, there is no danger of the glove lining slipping
- Elastic finger joint folds make it easier for the wearer to grip objects



Excellent touch sensitivity and optimal fit due to finger joint folds, ergonomic cut and new material structure



Abrasion, puncture and cut resistant: Palm side made of silicon-coated NOMEX KEVLAR®-doubleface fabrics



Watertight, windproof and breathable: inner glove made of GORE-TEX® X-TRAFIT insert

### Pictogram and performance levels according to EN 659:2003



Parameter	Results
Abrasion resistance (EN 388)	4
Cut resistance (EN 388)	3
Tear resistance (EN 388)	4
Puncture resistance (EN 388)	3
Burning behaviour (EN 407)	4
Convective heat resistance (EN 367/407)	✓
Radiant heat resistance (EN ISO 6942)	✓
Contact heat resistance (EN 702)	✓
Shrinkage (ISO 17493)	✓
Dexterity (EN 420)	4
Removal of gloves (EN ISO 15383)	✓
Water permeability (EN 344-1)	✓
Fluid permeability (ISO 15383)	✓
Chemical permeability (EN 368)	✓




Elastic finger joint folds make it easier for the wearer to grip objects

# SAFE GRIP II

## Material structure

### Outer layer:

- Back of the hand made of high quality NOMEX® III
- Palm side made of carbon-/silicon-coated NOMEX® Paraaramid® doubleface fabric for excellent touch sensitivity, high abrasion resistance and anti-slip on wet and smooth surfaces



### Membrane:

GORE-TEX® X-TRAFIT insert

### Inner lining:

Knitware made of NOMEX KEVLAR®



### Safe Grip II with cuff

- cuff with 3M® yellow/silver/yellow reflective stripes
- hook and eye for connection
- adjustable Velcro fastening

Outer fabric colour: dark blue  
Length: approx. 350 mm  
Sizes: 6, 7, 8, 9, 10, 11 and 12  
Machine washable: up to 60°C

Order No. 142820

### Safe Grip II with wristlet

- 100 % NOMEX® wristlet
- With inner laid loops for hang up

Outer fabric colour: dark blue  
Wristlet colour: black  
Length: approx. 320 mm  
Sizes: 6, 7, 8, 9, 10, 11 and 12  
Machine washable: up to 60°C

Order No. 142780

# Protective Gloves FIRE PRO E

Approved in accordance with EN 659:2003

Construction following the NFPA (National Fire Protection Association) 1971

The Fire Pro E is made of split cowleather, which is extremely supple and remains supple and flexible even after frequent soaking and drying of glove. The thump reinforcement ensures extra protection in this strongly stressed place. The gloves are waterproofed and breathable.

## Pictogram and performance levels according to EN 659:2003

Abrasion resistance - EN 388	3
Cut resistance - EN 388	2
Tear resistance - EN 388	4
Puncture resistance - EN 388	3
Dexterity	3
Burning behaviour - EN 407	4
Contact heat - EN 702	✓
Convective heat resistance	✓
Radiant heat resistance - EN ISO 6942	✓



## Material structure:

- Upper leather: heat resistant, washable cowleather, water- and oil-resistant
- Membrane: water resistant and breathable GORETEX® membrane
- Inner lining: 100 % Kevlar®
- Wristlet: 100 % Kevlar® double-knitted



## Fire Pro E yellow:

- Colour: yellow upper leather with yellow Kevlar®-wristlet
- Length: approx. 320 mm
- Sizes: S, M, L, XL and XXL



## Fire Pro E blue:

- Colour: dark blue upper leather with black Nomex®-wristlet
- Length: approx. 320 mm
- Sizes: S, M, L, XL and XXL

Ord. No.: 142884

Ord. No.: 142896

ROSENBAUER INTERNATIONAL Aktiengesellschaft  
Fire & Safety Equipment  
A-4060 Leonding, Paschinger Str. 90, AUSTRIA

Phone: +43 (0)70 6794-0  
Fax: +43 (0)70 6794-77  
E-Mail: [office@rosenbauer.com](mailto:office@rosenbauer.com)  
<http://www.rosenbauer.com>

Text and illustrations are not binding. The illustrations may show optional extras only available at extra charge. ROSENBAUER retains the right to alter specifications and dimensions given herein without prior notice.